



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Report from City of Mexico—Comparative statistics of typhus fever, 1906, 1907, and two months of 1908.*

The following is received from Consul-General Gottschalk, through the Department of State, under date of March 9:

Years.	Average number of cases daily.	Per cent of deaths.	Average of cases remaining daily in hospital.
1906.			
January.....	10	24.2	102
February.....	14	25	156
March.....	13	21.5	157
April.....	11	22.8	164
May.....	8	22.1	127
June.....	5	18	71
July.....	5	14.9	76
August.....	6	24.8	70
September.....	5	17.5	64
October.....	5	15.4	61
November.....	4.5	13.2	55
December.....	3.5	13.9	40
1907.			
January.....	4.8	22.6	51
February.....	4.5	20.6	52
March.....	4.8	19.5	63
April.....	4.7	16.5	63
May.....	3	18.5	45
June.....	2.5	17.1	32
July.....	2.1	18.5	30
August.....	2.5	19.7	27
September.....	2	22	22
October.....	2	20.9	24
November.....	3	9.6	29
December.....	2.9	16.8	37
1908.			
January.....	3.3	16.7	39
February.....	3.5	17.8	33

*Report from Salina Cruz—Inspection of vessel.*

Acting Assistant Surgeon McPherson reports, March 16:

During the period, March 1 to 15, inclusive, one vessel cleared from this port for the United States, the steamship *Arizonan*, which left March 3 for San Diego, Cal., and was fumigated throughout while in the roadstead outside the harbor.

PERU.

*Reports from Callao—Inspection and fumigation of vessels—Plague at Chilean ports—Status of plague in Peru.*

Assistant Surgeon Wightman reports, February 24 and March 4:

Week ended February 22. Three steamships and 1 bark were dispatched with a total personnel of 262 members of crews, 55 cabin and 124 steerage passengers. Three of the vessels were fumigated and 1 was inspected and passed.

Smallpox continues in Lima.

Week ended February 29: Bills of health were issued to 2 merchant steamers, with an aggregate personnel of 172 members of crews, 95 cabin and 68 steerage passengers. Both vessels were fumigated. In addition, 21 vessels of the United States Navy were dispatched on statement of their medical officers.

Bills of health from Chile report plague as follows:

Arica, 6 cases with 1 death in two weeks ended February 26  
Iquique, present, February 25; Antofagasta, 14 cases with 1 death in  
two weeks ended February 23.

The following are the statistics on plague in Peru received from the  
Director de Salubridad.

Locality.	Cases Febru- ary 13.	New.	Recov- ered.	Died.	Remain- ing Feb- ruary 27.
Lima .....	6	9	3	4	8
Callao .....	2	1	2	1	1
Chosica .....	.....	2	.....	.....	1
Trujillo .....	49	32	18	16	47
Paíta .....	10	1	7	2	2
Piura .....	1	.....	1	.....	.....
Ferrenafe .....	4	2	.....	.....	6
San Geronimo .....	4	.....	.....	.....	4
Catacaos .....	23	12	(?)	(?)	13
Eten .....	7	15	(?)	10	5
San Jose (Lambayeque) .....	2	.....	(?)	(?)	.....
Chepen .....	.....	9	2	4	3
Santa Eulalia .....	.....	6	.....	6	.....
Guadalupe (Pacasmayo) .....	.....	1	.....	.....	1
Mollendo .....	.....	3	.....	2	1
Monsefu .....	.....	7	.....	4	3

#### FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

AFRICA—*Kimberley*.—Month ended February 15, 1908. Estimated population, 54,141. Total number of deaths, 128, including scarlet fever 1, and 18 from enteric fever.

*Lourenço Marquez*.—Month of January, 1908. Estimated population, 10,000. Total number of deaths, 33, including smallpox 1, and 8 from tuberculosis.

ALGERIA—*Algiers*.—Month of February, 1908. Estimated population, 155,000. Total number of deaths, 272, including scarlet fever 1, typhus fever 2, smallpox 4, and 54 from tuberculosis.

AZORES—*St. Michaels and St. Marie*.—Month of January, 1908. Estimated population, 127,566. Total number of deaths, 235, including measles 19, scarlet fever 3, and 3 from tuberculosis.

FRANCE—*Roubaix*.—Month of February, 1908. Estimated population, 121,115. Total number of deaths, 180, including scarlet fever 2, diphtheria 2, whooping cough 1, and 35 from tuberculosis.

*St. Etienne*.—Two weeks ended February 29, 1908. Estimated population, 150,000. Total number of deaths, 139, including whooping cough 1, measles 3, and 19 from tuberculosis.

*Toulon*.—Month of February, 1908. Estimated population, 104,000. Total number of deaths, 166, including diphtheria 1, and 5 from enteric fever.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended March 7, 1908, correspond to an annual rate of 17.6 per 1,000 population, which is estimated at 16,234,952.

*London*.—One thousand five hundred and eighty deaths were registered during the week, including measles 29, scarlet fever 10, diph-